

## Abstandhalter

### Abstandhalter mit Kunststoff, zertifiziert gem. DBV-Blatt

Nutzlänge 2 m = 1 Stück / Berechnung erfolgt pro Stück.

Typ	VE m je Bund	kg / Korb	Lagerverfügbarkeit
A 8	20	0,961	●
A 9	20	1,006	
A10	20	1,050	●
A11	20	1,094	
A12	20	1,138	●
A13	20	1,183	
A14	20	1,229	●
A15	20	1,423	
A16	20	1,468	●
A17	20	1,899	
A18	20	1,963	●
A19	20	2,027	
A20	20	2,091	●
A21	20	2,261	
A22	20	2,322	
A23	20	2,383	
A24	20	2,444	
A25	20	3,163	
A26	20	3,256	
A27	20	3,349	
A28	20	3,440	

## Dista-Schlangen

### Dista-Schlangen, 2 m lang, zertifiziert gem. DBV-Blatt

Höhe mm	VE m je Bund	kg / Korb	Lagerverfügbarkeit
40	50	0,432	●
60	50	0,462	●
80	50	0,492	●
100	50	0,522	●
120	50	0,551	●
140	50	0,644	●

Höhe mm	VE m je Bund	kg / Korb	Lagerverfügbarkeit
160	50	0,674	●
180	50	0,817	●
200	50	0,854	●
220	50	0,977	●
240	50	1,014	●
260	50	1,096	●
280	50	1,133	●
300	50	1,170	●

## Drahtmäuse

ø mm	VE	Lagerverfügbarkeit
1,4	1 Eimer = 20 kg	●

## Unterstützungskörbe

Typ „DT“ für Sichtbeton „SBA“ in 2 m Länge, zertifiziert gem. DBV-Blatt

Typ	VE m je Bund	kg / Korb	Lagerverfügbarkeit
50		0,731	
60	20	0,768	●
70		0,806	
80	20	0,843	●
90		0,881	
100	20	0,919	●
110		0,985	
120	20	1,023	●
130		1,058	
140	20	1,095	●
150		1,295	
160	20	1,337	●
170		1,381	
180	20	1,425	●
190		1,469	
200	20	1,513	

Typ	VE m je Bund	kg / Korb	Lagerverfügbarkeit
210		1,829	
220		1,881	
230		1,932	
240		1,985	
250		2,038	
260		2,363	
270		2,427	
280		2,491	
290		2,555	
300		2,619	
310		2,683	
320		2,747	
330		2,871	
340		2,934	
350		2,996	
360		3,058	
370		3,121	
380		3,183	
390		3,245	
400		3,307	